



**INSTRUCTIONS REVERSE SIDE**

Water System Name: Riverbend Estates  
 PWS ID No.: 6390018  
 Collector: Pete Cortez  
 Date Collected: 06/11/23  
 County: Power  
 Person Transporting Sample to Lab: Pete  
 Condition of Transport:  Cooled  Carrier  Mail  Other  
 Report Results To:  
 Name: Riverbend Estates  
 Address: 3128 Sage  
 City: American Falls  
 State: ID Zip Code: 83211  
 Phone Number: (208) 252-2493  
 Email: kerrie@tolman.org

**IAS — ENVIROCHEM**

3314 Pole Line Road • Pocatello, Idaho 83201  
 Phone: (208) 237-3300 • Fax: (208) 237-3336

**COLIFORM BACTERIA ANALYSIS REPORT  
 CONTAMINANT ID# 3100**

Public Drinking Water System  
 Private Drinking Water

Shaded areas must be fully filled out or samples will not be run.  
 Private samples need not have pws# or Chlorine residual. Clear areas are for lab use only.

Your sample will be analyzed for TOTAL COLIFORMS unless you specify another analysis under Remarks.

For PWS only, if this is a repeat sample, mark the date of the ORIGINAL POSITIVE SAMPLE.

LAB ID # ID00952

**REPORT RESULTS TO:**

Dist. 6 Health Dept.  
 Dist. 7 Health Dept.  
 Denver EPA  
 Seattle EPA  
 Idaho Falls DEQ  
 Pocatello DEQ

**PAYMENT:**

No Charge  Prepaid  
 Bill  Pmt. Rec'd

**R E S U L T S**

Sample Number	Sample Type Code	Sampling Location	Chlorine Residual PPM	Original Sample Date	TOTAL COLIFORMS		FECAL COLIFORMS		ESCHERICHIA COLI		HPC
					Method Code	(P)resent (A)bsent #100ml	Method Code	(P)resent (A)bsent #100ml	Method Code	(P)resent (A)bsent #100ml	
R1	S	3107 Willow		06/11/23	SM9223 B PA		SM9223 B PA		SM9223 B PA		
					SM9223 B PA		SM9223 B PA		SM9223 B PA		
					SM9223 B PA		SM9223 B PA		SM9223 B PA		
					SM9223 B PA		SM9223 B PA		SM9223 B PA		
					SM9223 B PA		SM9223 B PA		SM9223 B PA		

Sample Type Codes: S - Routine Sample, P - Repeat Sample (At Original Tap), U - Upstream Repeat, D - Downstream Repeat, E - Enforcement (Chain of Custody Required), X - Other Repeat, TG - Triggered Source, W - Untreated (Source), C - Construction/Special

**Chain-of-Custody Information**

Relinquished by	Date	Time	Received by	Date	Time
<i>[Signature]</i>	06/12/23	1350	<i>[Signature]</i>		

DATE/TIME RECEIVED: 06/12/23 1350 Temp. °C: 10.1  
 DATE/TIME ANALYZED: \_\_\_\_\_ ANALYST: \_\_\_\_\_  
 DATE REVIEWED: \_\_\_\_\_ SUPERVISOR: \_\_\_\_\_

M306176  
 Riverbend Estates  
 Received: 06/12/2023  
 BCS  
 1 Sample